APPLICATION OF THE FERTILIZER

Liquid mineral fertilizer to be applied through the micro irrigation system (drip irrigation and micro rain), watering and foliar application.

USE AND EFFECTS

NPK 3-20-28 + 3% EDTA can be applied in all stages of growth and development of plants, particularly recommended before the flowering begins, and in the stage of flowering and fruit formation. NPK 3-20-28 + 3% EDTA is a fertilizer of high quality, 100% water-soluble, with capability to be quickly absorbed by plants. Regular application of NPK 3-20-28 + 3% EDTA is efficient in cases of phosphorus and potassium deficiency in plants, ensures proper growth of root, improves growth of plant, which results in stable yield of high quality.

NPK 3-20-28 + 3% EDTA also meets the needs for nitrogen, which is another important macronutrient needed for proper nutrition of plants.

NPK 3-20-28 + 3% EDTA is recommended to apply with irrigation water through the micro irrigation system, whereas in cases when no micro irrigation techniques are applied, foliar application is recommended. Having optimal nutrition with all the nutrients through the soil and optimal soil moisture provided, foliar application gives excellent result.

MANNER OF APPLICATION

Drip irrigation system and watering

21-p 11-gw101-5/50011 w114 // w001111-g				
Crop	Period of application	Number of applications	Dosage I/1000 m ² with 1 application	
Vegetable crops	Flowering and fruit formation	7 applications every 5-6 days	4-5 1 fertilizer with minimum 5,000 1 water	
Agronomy crops	Fruit formation	3-4 applications	3 l fertilizer with minimum 3,000 l water	
Fruit crops and grapevine	Fruit formation*, growth and ripening of fruit-berry	5 applications every 6-7 days	4 l fertilizer with minimum 5,000 l water	

^{*}Fertigation at this stage can begin, provided that the field conditions allow that (dry spring and supply of irrigation water).

Foliar application

Crop	Period of application	Number of applications	Dosage ml/1000 m ² with 1 application
Vegetable crops	Flowering and fruit formation	2-3 applications every 10-14 days	400 ml fertilizer with 100 l water
Agronomy crops	Fruit formation	1-2 applications	200 ml fertilizer with 100 l water
Fruit crops and grapevine	Flowering and fruit formation	2-3 applications every 10-14 days	400 ml fertilizer with 100 l water



The effect of foliar application is better in early morning or evening.

NOTE

It can be mixed with all fertilizers in fertigation solutions. It can be mixed with most pesticides by dissolving the pesticides first and adding the fertilizer afterwards. Before each use, read the instructions from the manufacturer of protective equipment.

STORAGE

Store at a temperature higher than +10°C.

SHELF LIFE

5 years.

COMPOSITION				
Total nitrogen (N)	(3.0 ± 0.3) %			
Phosphorus (P ₂ O ₅)	(20.0 ± 1.0) %			
Potassium (K ₂ O)	(28.0 ± 1.0) %			
EDTA	(3.0 ± 0.3) %			

